


Bernard F. Gipson Eastside Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


La Casa – Quigg Newton Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Lowry Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Montbello Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Park Hill Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Federico F. Peña Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Webb Center for Primary Care






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Sam Sandos Westside Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.


Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.






Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.


Westwood Family Health Center






Percent of patients age 3 to 9 years who have had a well child check (annual exam) within the past year.

Percent of patients age 18 years and older who smoke cigarettes and had an office visit in the reporting month who received an intervention to help them stop smoking within the 6 months prior to their visit. Tobacco cessation interventions include referrals to the Colorado QuitLine, the Denver Health Tobacco Cessation Clinic or the Denver Health tobacco cessation text messaging program; medication for tobacco cessation; or counseling or education about cessation.





Percent of patients age 18 years and older with a Denver Health hospital admission who had a primary care visit within 30 days of being discharged.